S05 METALLIC PUMP TECHNICAL DATA SHEET

SERIES

STANDARD DUTY BALL VALVE PUMPS

Offering the widest range of performance and application capabilities

PERFORMANCE

SUCTION / DISCHARGE PORT SIZE

- 1/2" NPT (Internal) or 1/2" BSP (Tapered)
- 1/2" Raised Face #150 ANSI Flanges -Stainless Steel ONLY

CAPACITY

0 to 15 gallons per minute (0 to 56 LPM)

AIR DISTRIBUTION VALVE

No-lube, no-stall design

SOLIDS-HANDLING

• Up to .125 in. (3mm)

HEADS UP TO

 125 psi or 289 ft. of water (8.6 bar or 86 meters)

MAXIMUM OPERATING PRESSURE


- 125 psi (8.6 bar) metallic center
- 100 psi (7 bar) non-metallic center

DISPLACEMENT/STROKE

.026 Gallon / .098 liter

WEIGHTS

- Aluminum 15 lbs. (7kg)
- Stainless Steel 21 lbs. (10kg)





5 YEAR LIMITED PRODUCT WARRANTY

5 Year Guarantee for defects in material or workmanship. See sandpiperpump.com/content/warranty-certifications for complete warranty, including terms and conditions, limitations and exclusions.



USE ONLY GENUINE SANDPIPER PARTS

All certification, standards, guarantees & warranties originally supplied with this pump will be invalidated by the use of service parts not identified as "Genuine SANDPIPER Parts."



Warren Rupp, Inc. • A Unit of IDEX Corporation 800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867






Tel: 866-777-6060 Fax: 866-777-6383 Int'l: +001 267 404 2910 Springer Pumps, LLC Springer Parts®


Websites: www.springerpumps.com www.springerparts.com

DIMENSIONS

S05 Metallic - Aluminum Model NPT/BSP


Dimensions in inches (mm dimensions in brackets). Dimensional Tolerance:±1/8" (± 3mm) The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.






S05 Metallic - Stainless Steel NPT/BSP

Dimensions in inches (mm dimensions in brackets). Dimensional Tolerance:±1/8" (± 3mm) The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.




S05 Metallic - Stainless Steel ANSI Flange

Dimensions in inches (mm dimensions in brackets). Dimensional Tolerance:±1/8" (± 3mm) The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.



Tel: 866-777-6060 Fax: 866-777-6383 Int'l: +001 267 404 2910 Springer Pumps, LLC Springer Parts® Websites: www.springerpumps.com www.springerparts.com

EXPLANATION OF PUMP NOMENCLATURE



MATERIALS

Material Profile:	Operating Temperatures:		
CAUTION! Operating temperature limitations are as follows:	Max.	Min.	
CONDUCTIVE ACETAL: Tough, impact resistant, ductile. Good abrasion resistance and low friction surface. Generally inert, with good chemical resistance except for strong acids and oxidizing agents.	190°F 88°C	-20°F -29°C	
EPDM: Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair in ketones and alcohols.	280°F 138°C	-40°F -40°C	
FKM (FLUOROCARBON): Shows good resistance to a wide range of oils and solvents; especially all aliphatic, aromatic and halogenated hydrocarbons, acids, animal and vegetable oils. Hot water or hot aqueous solutions (over 70°F(21°C)) will attack FKM.	350°F 177°C	-40°F -40°C	
HYTREL [®] : Good on acids, bases, amines and glycols at room temperatures only.	220°F 104°C	-20°F -29°C	
NEOPRENE: All purpose. Resistance to vegetable oils. Gener- ally not affected by moderate chemicals, fats, greases and many oils and solvents. Generally attacked by strong oxidizing acids, ketones, esters and nitro hydrocarbons and chlorinated aromatic hydrocarbons.	200°F 93°C	-10°F -23°C	
NITRILE: General purpose, oil-resistant. Shows good solvent, oil, water and hydraulic fluid resistance. Should not be used with highly polar solvents like acetone and MEK, ozone, chlorinated hydrocarbons and nitro hydrocarbons.	190°F 88°C	-10°F -23°C	
NYLON: 6/6 High strength and toughness over a wide tem- perature range. Moderate to good resistance to fuels, oils and chemicals.	180°F 82°C	32°F 0°C	

3

4

Dual Porting BSP (Tapered)

fats, greases and	93°C	-23°C	which readily lib
ed by strong oxidizing pons and chlorinated		20 0	Maximum and operated. Temp components. M
Shows good solvent,	190°F 88°C	-10°F -23°C	temperature ra
hould not be used with K, ozone, chlorinated			Metals
over a wide tem- ice to fuels, oils and	180°F 82°C	32°F 0°C	STAINLESS S sion resistant ir general applica

- Solenoid Kit with 12VDC
- Solenoid Kit with 110VAC Coil Solenoid Kit with 110VAC
- Solenoid Kit with 220VAC Coil
- Solenoid Kit with 220VAC
- Solenoid Kit with 110VAC, 50 Hz Explosion-Proof Coil
- Solenoid Kit with 230VAC, 50 Hz Explosion-Proof Coil
- A1. Solenoid Kit with 12 VDC
- Solenoid Kit with 24 VDC
- Solenoid Kit with 110/120 VAC 50/60 Hz ATEX Compliant Coil
- Δ4. Solenoid Kit with 220/240 VAC 50/60 Hz ATEX Compliant Coil

(Ex)

Operating Temperatures:			POLYPROPYLENE: A thermoplastic polymer. Moderate tensile and flex strength. Resists stong acids and alkali. Attacked by	180°F 82°C	32°F 0°C			
llows:	Max.	Min.	chlorine, fuming nitric acid and other strong oxidizing agents.					
Has 280°F	190°F 88°C	-20°F -29°C	PVDF : (Polyvinylidene Fluoride) A durable fluoroplastic with excellent chemical resistance. Excellent for UV applications. High tensile strength and impact resistance.	250°F 121°C	0°F -18°C			
	280°F 138°C	-40°F -40°C	SANTOPRENE [*] : Injection molded thermoplastic elastomer with no fabric layer. Long mechanical flex life. Excellent abrasion resistance.	275°F 135°C	-40°F -40°C			
and 138°C wide 350°F tic and 177°C oils. Il attack	350°F	-40°C -40°F -40°C	UHMW PE: A thermoplastic that is highly resistant to a broad range of chemicals. Exhibits outstanding abrasion and impact resistance, along with environmental stress-cracking resistance.	180°F 82°C	-35°F -37°C			
	-40 C	URETHANE: Shows good resistance to abrasives. Has poor resistance to most solvents and oils.	150°F 66°C	32°F 0°C				
oom	220°F 104°C	-20°F -29°C	VIRGIN PTFE: (PFA/TFE) Chemically inert, virtually impervious. Very few chemicals are known to chemically react with PTFE; molten alkali metals, turbulent liquid or gaseous fluorine and a few		-35°F -37°C			
Gener- nd			fluoro-chemicals such as chlorine trifluoride or oxygen difluoride which readily liberate free fluorine at elevated temperatures.		-			
dizing nated		20.0	Maximum and Minimum Temperatures are the limits for which these materials can be operated. Temperatures coupled with pressure affect the longevity of diaphragm pump components. Maximum life should not be expected at the extreme limits of the					
lvent, 190°F sed with 88°C inated		temperature ranges.		G				
			ALLOY C: Equal to ASTM494 CW-12M-1 specification for nickel a	and nickel al	loy.			

TEEL: Equal to or exceeding ASTM specification A743 CF-8M for corroron chromium, iron chromium nickel and nickel based alloy castings for ations. Commonly referred to as 316 Stainless Steel in the pump industry. general applic For specific applications, always consult the Chemical Resistance Chart.

NOTE: See service manual for ATEX details.

SP_DS_TemplateDataSheet_0817

Tel: 866-777-6060 Fax: 866-777-6383 Int'l: +001 267 404 2910

SANDPIPERPUMP.COM

800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867

Springer Pumps, LLC

Springer Parts®

Warren Rupp, Inc. • A Unit of IDEX Corporation